

EAC 43 June 1968

# RECORD

7530-222-3525  
FEDERAL SUPPLY SERVICE  
(GPO)







Field #	Species	Date	Locality	wt.	Sex	fat	Reproduction	soft part colors - remarks	Prep. by	Disposition
140498	Oceanodroma leucorhoa socorroensis	20 June 1968	<sup>Meliponense Cove</sup> Isla Guadalupe, Mexico	30.5	♂ Ad.	med.	no molt contour feathers Testes 4x2 1/2, no brood patch L. Testis 6x4 No molt contour feathers.	Iris dark brown, bill + feet black	LNH	skin - DC
140499	"	"	"	32.7	♂ Ad.	med.	R. Testis 2 1/2 x 2 1/2 brood patch defeathering no molt contour feathers	"	LNH	"
140500	"	"	"	31.0	♂ Ad.	med.	Testes 3x2mm. No brood patch	blood sample	LNH	"
140501	Larus occidentalis nymani	21 June 1968	<sup>1/4 mi NE</sup> Isl. Meliponense Co.	36.7	♀ Molt	light	ovary 10x8, smooth, sex body molt NO BODY MOLT	Iris dark, feet grey, bill black, tip wing	RSC	"
140502	Oceanodroma leucorhoa socorroensis	21 June 1968	ISLOTE NEGRO, ISLA GUADALUPE BAJA CALIFORNIA, MEXICO	34.0	♂ Ad.	MED	TESTES 6x8mm BROOD PATCH BARE NO BODY MOLT	COLOR: IRIS DARK BROWN - BILL, FEET & LEGS BLACK	RLO	"
140503	"	"	"	36.5	♂ Ad.	MED	TESTES 4x3mm BROOD PATCH BARE NO BODY MOLT	COLOR AS 140502	RLO	"
140504	"	"	"	28.5	♀ Ad.	Light	OVARY 7x5mm NO BODY MOLT OVIDUCT ENLARGED & CONULATED	ONE OF PAIR SET 2 - ONE OF PAIR WHICH ♀ LAID EGG IN CROSS HATCH - TIES AROUND CLAW OF ♀.	TJL	"
140505	"	"	"	29.5	♂ Ad.	Heavy	Testes 6x5mm Brood Patch BARE NO BODY MOLT	COLOR AS 140502	TJL	"
140506	"	"	"	39.0	♂ Ad.	Heavy	TESTES 6x5mm BROOD PATCH BARE NO BODY MOLT	ADULT w/ FRESH EGG.	RSC	"
140507	"	"	"	38.5	♀ Ad.	Light	OVARY 7x2mm NO BODY MOLT OVIDUCT ENLARGED	ADULT w/ FRESH EGG.	RLO	"
140508	Endomychura hypoleuca	"	"	23.5	♂ N	very light	testes minute	COLOR AS 140509 PAIRED WITH 140509	LNH	"
140509	"	"	"	24.0	♀ N	very light	<del>ovary there</del> OVARY THERE	COLOR AS 140508	LNH	"
140510	"	"	"	17.5	♀ N	Very Light	ovary there	COLOR AS 140508	LNH	"
140511	"	"	"	18.5	♂ N	Very Light	testes minute	COLOR AS 140508	LNH	"
140512	Oceanodroma leucorhoa	21 June 1968	ISLOTE ZAPATO, ISLA GUADALUPE BAJA CALIFORNIA, MEXICO	36.5	♀ Ad.	MED-Heavy Fat	OVARY 7x7mm NO BODY MOLT OVA COMMING UP OVIDUCT USED IN PAST	COLOR-IRIS DARK BROWN - BILL, FEET & LEGS BLACK	LNH	"
140513	"	"	"	34.5	♂ Ad.	Heavy	BOTH NO MOLT TESTES 5x4mm BROOD PATCH BARE	COLOR AS 140512 ON EGG	LNH	"
140514	"	"	"	33.0	♂ Ad.	Heavy	TESTES 4x4mm NO BODY MOLT BROOD PATCH BARE	COLOR AS 140512 ON EGG	LNH	"
140515	"	"	"	30.5	♂ Ad.	MED.	TESTES 5x3.5mm NO MOLT of contour feathers BROOD PATCH BARE	COLOR AS 140512 ON EGG	LNH	"
140516	"	"	"	34.0	♂ Ad.	Heavy	TESTES 4x4mm NO MOLT BROOD PATCH DEFATHERING	COLOR AS 140512 ON EGG	LNH	"
140517	"	"	"	36.0	♀ Ad.	Heavy	OVARY - 7 SEVERAL NO MOLT ENLARGED OVA OVIDUCT 3x3mm - USED	COLOR AS 140512 ON EGG	LNH	"
140518	"	"	"	34.0	♂ Ad.	MED	BOTH NO MOLT TESTES 3x4mm BROOD PATCH BARE	COLOR AS 140512 ON EGG	LNH	"
140519	"	"	"	35.0	♂ Ad.	MED-Heavy	TESTES 5x5mm NO MOLT BROOD PATCH BARE	COLOR AS 140512 ON EGG	LNH	"
140520	"	"	"	32.5	♂ Ad.	Light	LT 5.5x5mm NO molt. RT 4x3mm Brood Patch BARE.	COLOR AS 140512 ON EGG	LNH	"
140521	"	"	"	35.0	♀ Ad.	MED	OVARY 7x5mm NO BODY MOLT GRANULAR BROOD PATCH BARE OVIDUCT RECENTLY USED	COLOR AS 140512 ON EGG	LNH	"
140522	"	"	"	37.0	♂ Ad.	Heavy	TESTES 5x5mm Brood Patch bare	COLOR AS 140512	TJL	"
140523	"	"	"	28.5	♀ Ad.	Light	OVARY 9x6mm NO BODY MOLT OVA - 3mm (2) OVIDUCT ENLARGING	COLOR AS 140512	RSC	"
140524	"	"	"	30.0	♂ Ad.	Light	TESTIS 6x5mm NO BODY MOLT BROOD PATCH STARTING TO DEFATHER	COLOR AS 140512	RSC	"
140525	"	"	"	36.5	♂ Ad.	Heavy	TESTES 8x5mm NO BODY MOLT BROOD PATCH BARE	COLOR AS 140512	TJL	"

Field #	Species	Date	Locality	wt(g)	Sex	CAT	Reproduction	Soft part colors-remarks	Prep Personal Catalogue #	Disposition
140526	<i>Puffinus puffinus opisthomelas</i>	21 June 1968	ISLOTE ZAPATO, ISLA GUADALUPE BAJA CALIFORNIA, MEXICO	226	♀ Ad	Heavy	ovary large	heavy body Molt	LNH	SKIN-D.C.
140527	"	"	"	427	♀ Ad	Med-heavy	ovary 12x7mm granular oviduct recent regressed follicle oviduct enlarged within last month	heavy molt of contour feathers brood patch refeathering	LNH	Skin
140528	"	"	"	444	♀ Ad	med-heavy	same as #14027	heavy molt of contour feathers brood patch refeathering	LNH	Skin
140529	"	"	"	422	♂	med-heavy	testes 6x4mm	heavy molt of contour feathers brood patch refeathering	LNH	Skin
140530	"	"	"	390	♀ Ad	med-heavy	same as #14027	same as #14027	LNH	Skin
140531	"	"	"	417	♂	med-heavy	testes 5x4mm	heavy molt of contour feathers brood patch refeathering	LNH	Skin
140532	"	"	"	417	♂	Mod	Testis 7x5mm DK Moderate Body Molt	ON EGG	TJL	SKIN
140533	"	"	"	448	♂	Light	BP Bare TESTIS 5x3mm molting - light band molt Brood Patch Refeathered		RLD	SKIN
140534	<i>Pychoramphus aleuticus</i>	22 "	ISLOTE Negro, Isla Guadalupe Baja California Mexico	23.5gms	♀ Nesting	No Fat	ovary 5x2mm BP Defeathering	Bill black, Legs & feet dark blue-gray Heavy Molt	LNH	SKIN
140535	<i>Oceanodroma leucorhoa</i>	"	Islole Zapato, Isla Guadalupe Baja California, Mexico	33.5gms	Ad ♂	Mod	Testis 6x4mm BP Defeathering	Bill, Legs & feet Black No body Molt	TJL	SKIN
140536	"	"	"	35.0gms	Ad ♂	Mod	Testis 6x4mm BP Defeathering	Bill, Legs & feet Black No body Molt	TJL	SKIN
140537	"	"	"	35.5gms	Ad ♂	Heavy	Testis 5x4mm BP Defeathering	No body Molt, No Flight Feathers with white wing Molt	TJL	SKIN
140538	"	"	"	34.5gms	Ad ♀	Mod	ovary 13mm in oviduct BP Defeathering	on egg No Molt	TJL	SKELTON
140539	"	"	"	33.0gms	Ad ♂	Mod	Testis 6x5mm BP Defeathering 3/4 bare.	with 140539 in burrow - No egg present No Molt	TJL	"
140540	"	"	"	31.0gms	Ad ♀	Mod	ovary 7x5mm, ova to 2mm oviduct enlarged & convoluted	with white-rump No Molt	TJL	"
140541	"	"	"	29.5gms	Ad ♂	Heavy	BP Bare	Set #1 Bone sample taken from burrow No body Molt	TJL	SKIN
140542	<i>Oceanodroma melanica</i>	25 June 1968	ABOARD SHIP ANCHORED AT ISLAS SAN BENITO, BAJA CALIFORNIA, MEXICO	54.0	♂	M-Heavy	Testes both 3x1mm BP feathered	No body Molt No Molt, flew aboard ship	TJL	SKIN
140543	<i>Halocptena microsoma</i>	"	"	18.8	Ad ♀	H	BP Bare but not in use ovary 7x6mm, L. ova 2mm.	IRIS DARK BROWN - bill, legs, & feet black	LNH	SKELTON
140544	"	"	"	19.7	Ad ♀	H	oviduct enlarging BP Bare but not in use ovary 8x7mm, L. ova 2.8mm.	no molt	LNH	SKELTON
140545	"	"	"	17.9	Ad ♀	H	oviduct enlarging Brood Patch completely feathered oviduct used at post but not enlarged	no molt	LNH	SKELTON
140546	"	"	"	19.8	Ad ♂	heavy	ovary 6x4mm granular BP in use	no molt	LNH	SKELTON
140547	"	"	"	19.8	Ad ♀	H	LT 5x3mm (ovum) RT 3x2mm (ovum) 1/2 Defeathered BP. oviducts slightly enlarged.	no molt	LNH	SKELTON
140548	"	"	"	20.2	Ad ♀	H	ovary 7x6mm granular 1/10 Defeathered BP	no molt	LNH	SKELTON
140549	<i>Oceanodroma melanica</i>	"	"	52.0	Ad ♀	M	ovary 8x6mm granular oviduct enlarged	BP completely feathered no molt	LNH	SKELTON
140550	"	"	"	60.5	Ad ♀	M-Heavy	ovary 7x4.5mm, L. ova 2mm oviduct slightly enlarged	Brood Patch Bare & Unfeathered No Molt	TJL	SKELTON
140551	"	"	"	55.0	♀	M-Heavy	ovary 10x7mm ova to 2mm oviduct enlarged & convoluted (Recent follicle in ovary)	This bird backs to Breeding Islands for first time with probably Nut lay this year	TJL	SKELTON
140552	"	"	"	64.0	♀ Ad	M	ovary 7x5mm ova to 2mm oviduct thin & straight	Brood Patch Bare but not in use no molt	LNH	SKELTON
140553	"	"	"	63.5	Ad ♂	M	ovary 9x9mm, L. ova 2.8mm oviduct enlarging Testes 5x4mm	Brood Patch Bare but not in use no molt.	LNH	SKELTON



Field #	Species	Date	Locality	Wt(g)	fat	sex	Reproduction	Soft part colors - remarks	Prep. by	Disposition
140554	Oceanodroma MELANIA	25 JUNE 1968	ABOARD SHIP ANCHORED AT ISLAS SAN BENITO, BAJA CALIFORNIA MEXICO	55.9	M	Ad ♂	LT 6x5mm (cream) RT 4x3mm	Brood Patch Bare but not in use, no molt	LNH	Skeleton
140555	Endomychura hypoleuca	"	"	161.5	H	♂	LT 8x3.5mm RT 4x2mm (cream)	IRIS DARK BROWN - w/ THIN OUTER RING OF LIGHT BLUE DORSAL SIDE OF LEGS FEET POWER BLUE, VENTRAL LEGS FEET BLACK	LNH	Skin
140556	<del>Oceanodroma</del> MICROSONA	"	"	18.3	H	♂ Ad	LT 5x3mm RT 3x2mm Brood Patch 1/2 Defeathered LT 6x4mm RT 4x3mm	no molt iris dark brown bill feet + legs black	LNH	Skeleton
140557	"	"	ISLAS SAN BENITO BENITO DEL CENTRO	21.6	H	Ad ♂	Brood Patch 3/4 Defeathered Ovary 8x6mm, L. ovum 2mm. Oviduct enlarged.	"	LNH	Skeleton
140558	"	"	ISLAS SAN BENITO BENITO DEL OESTE	21.0	H	Ad ♀	Ovary 8x6mm, L. ovum 2mm. Oviduct enlarged.	"	LNH	Skeleton
140559	"	"	ISLAS SAN BENITO BENITO DEL OESTE	20.0	H	Ad ♀	Ovary 8x6mm, L. ovum 2mm. Oviduct enlarged.	"	LNH	Skeleton
140560	Oceanodroma	"	ISLAS SAN BENITO BENITO DEL OESTE	33.5	M	Ad ♂	Testes 5x4mm Brood Patch Defeathering	SLIGHTLY WHITE RUMP. Bill legs & feet Black	TJL	Skin
140561	Endomychura hypoleuca	"	ABOARD SHIP ANCHORED AT ISLAS SAN BENITO, BAJA CALIFORNIA MEXICO	143.5	H	♂	LT 7x4mm RT 4.5x2mm (cream)	COLOR AS 140555 no molt BP. completely feathered	LNH	Skin
140562	Passerculus sandwichensis Ptychoramphus aleuticus	"	ISLAS SAN BENITO BENITO DEL CENTRO	19.5	Med	Imm ♂	Testes 1x.5mm	Small Not ossified light Body Molt	LNH	Skin
140563	Ptychoramphus aleuticus	"	ABOARD SHIP ANCHORED AT ISLAS SAN BENITO, BAJA CALIFORNIA MEXICO	123.5	H	♂	Testes 5x.8mm. BP. completely feathered Ovary 7.5x5mm, OVA enlarging Oviduct enlarged.	Bill black with flesh spot at base of lower mandible dorsal side of feet legs blue-gray, ventral black	LNH	Skeleton
140564	Halocyptena microsoma	"	"	20.5	Med	Ad ♀	Brood Patch 3/4 Defeathered Testes 4x1mm	no molt. as 140563	LNH	Skin
140565	Ptychoramphus aleuticus	"	"	120.0	H	♂	BP completely feathered BP feathered	no molt Iris dark brown, bill + feet + legs black.	LNH	Skeleton
566	Oceanodroma leucorhoa	26 June	WEST Island SAN BENITO, Baja Calif.	35.5	M	Ad ♀	Ovary 7x5mm Oviduct enlarged - slightly	No Body Molt white feathers in frons	TJL	Skin
567	"	"	"	36	M	Ad +	Brood Patch 3/4 Defeathered Not Vascularized Ovary 10x5mm OVA 7 to 4mm Oviduct enlarged	No Body Molt Brood Patch 4/5 defeathered	TJL	Skin
568	"	"	"	35.5	M	♂ Ad	Testes 5x4mm.	no molt	LNH	Skin
569	"	"	"	35	M	♂ Ad	LT 6x5mm RT 4x3mm	BP. Bare but not in use no molt	LNH	Skin
570	"	"	"	31.5	M	♂ Ad	LT - 3x2.5mm RT 2x1.5mm Ovary 8x4mm L. ovum 3mm	BP. 1/2 Defeathered no molt	LNH	Skin
571	"	"	"	37	M	♀ Ad	Oviduct enlarging	BP. 9/10 Defeathered no molt	LNH	Skin
572	"	"	"	32.5	M	♂ Ad	LT - 6x4.5mm RT - 6x4mm	Brood Patch Bare but not in use no molt	LNH	Skin
573	"	"	"	33	L-M	♂	LT 3x3mm RT 2x2mm	Brood Patch 1/2 defeathered no molt	LNH	Skin
574	"	"	"	34.5	M-H	Ad ♂	Testes 6x4mm BP Bare Not Vascularized	No Body Molt	TJL	Skin
575	"	"	"	35	M	Ad ♂	Testes 5x4mm. BP Defeathering	No Body Molt white feather forward of right eye	TJL	Skin
576	Oceanodroma MELANIA	"	"	58	Heavy	Ad ♀	Brood Patch Bare vascularized Ovary 7x7mm, large ovum 3mm Oviduct enlarged & vascularized	No body Molt	TJL	Skin
577	"	"	"	64	Heavy	Ad ♂	Brood Patch Bare Not vascularized yet L. Testis 8x6mm R. " 6x4mm	No Body Molt	TJL	Skin
578	"	"	"	58	Heavy	Ad ♂	Brood Patch Bare Vascularized L. Testis 8x6mm R. " 4x3mm	No Body Molt	TJL	Skin
579	Larus OCCIDENTALIS	27 JUNE 1968	NORTH EAST SIDE OF ISLA CERROS (WEST) BAJA CALIFORNIA, MEXICO	460	L	♂	Testes 5x2mm (white)	COLLECTED FROM COVE WITH TWO OTHER CHICKS OF THE SAME SIZE heavy molt	LNH	Skin
580	Oceanodroma melanin	"	MEXICO: SAN BENITO ISLANDS Center Island	55.5	med	Ad ♂	LT 10x7mm Brood P. Bare slightly vascularized RT 7x6.5mm Brood Patch Bare slightly vascularized Ovary 8x7mm L. ovum 5mm	mate to # 140581 white feather on back of neck mate to 140580	LNH	Skin
81	"	"	"	57	Heavy	Ad ♀	RT 7x6.5mm L. ovum 5mm 8-10 old ruptured follicles	white feather on back of neck	LNH	Skin

						Fat	Reproduction	Remarks	prep	Disposition
140582	<i>Larus occidentalis</i>	27 June, 1968	MEXICO: SAN BENITO ISLANDS	199	♂	L-M	Testes 5x2mm (CREAM)	heavy molted down	LNH	SKIN
83	<i>Oceanodroma melanota</i>	"	"	53	♀ Ad	med	LT 10.5x6.5mm RT 7.5x6mm BP slightly vasculated	No molt.	LNH	SKIN
84	"	"	"	54	♀ Ad	med	L.Ovary 4.5mm, oviduct enlarged 3 ED adruptured follicles Brood patch Bare & vasculated	B.P. slightly vasculated no molt	LNH	SKIN
85	"	"	"	58	Ad ♂	Med-Heavy	Testes 8x6mm Brood Patch Bare, Not Vasculated	No Body Molt	TJL	SKIN
86	"	"	"	58	Ad ♂	M-H	L.T. 8x7mm R.T. 6x4mm LT 7x6mm RT 5x4mm	No Body Molt	TJL	SKIN
87	"	"	"	57	Ad ♂	med	BP bare but not in use	no molt	LNH	SKIN
88	<i>Halocysterna microsoma</i>	"	"	21.2	Ad ♀	H	Ovary 8x5mm L.Ovary 2mm oviduct enlarged (5 ED adruptured follicles)	BP 3/4 defeathered no molt	LNH	SKIN
89	"	"	"	21.5	♀ Ad	med	ovary 8x6mm L.Ovary 11x11mm oviduct very enlarged	(5 ED?) adruptured follicles BP Bare but not in use no molt	LNH	SKIN
90	"	"	"	20	♀ Ad	M	ovary 9.5x6mm L.Ovary 3.5mm oviduct enlarged	BP 3/4 defeathered no molt	LNH	SKIN
91	"	"	"	20.5	♀ Ad	H	Ovary 9.5x6mm L.Ovary 3mm oviduct enlarged	no molt	LNH	SKIN
92	"	"	"	21.6gms	Ad ♂	M	BP 3/4 defeathered LT 5x4mm (CREAM) RT 4x3mm	BP 3/4 defeathered no molt	LNH	SKIN
93	"	"	"	21gms	Ad ♂	M	LT 6x4mm RT 4x3mm (CREAM)	BP beginning to become vasculated no molt	LNA	SKIN
94	"	"	"	20.7gms	Ad ♂	M	Brood Patch Bare Not used	No Body Molt	TJL	SKIN
95	"	"	"	18.2gms	Ad ♂	M	Testes 5x3mm Brood Patch Bare vasculated	No Body Molt	TJL	SKIN
96	"	"	"	20gms.	♀ Ad	M-H	Ovary 9x5mm L.Ovary 2.5mm oviduct enlarged (4 ED adruptured follicles)	BP becoming vasculated no molt	LNH	SKIN
97	"	"	"	20.2gms	Ad ♂	M	Brood Patch Bare Not Vasculated LT 5x4mm RT 4x3mm	No Body Molt	TJL	SKIN
98	<i>Pyrrhorocephalus albertus</i>	27 JUNE	Flow aboard ship - ANCHORED AT ISLAS SAN BENITO BAJA CALIFORNIA, MEXICO	100.5	♀	M	Ovary 9x3mm smooth	No Body Molt DOWN PRESENT ON NECK	TJL	SKIN
99	"	"	"	120.0	♂	M	Testis R 3x1/2mm	No Body Molt DOWN PRESENT ON NECK	TJL	SKIN
140600	<i>Oceanodroma leucorhoa</i>	28 June	Flow aboard ship with East Anchorage Isla Guadalupe, Baja California Mexico	26.0gms	Ad ♂	M	Brood Patch Bare Not in use LT 5x4mm RT 4x3mm	DOWN PRESENT ON NECK feathers? collected - In headed in skin around eyes & on throat. No Molt	LNH	SKIN
01	"	"	"	31.5gms	♀	L	ovary 5x2.5mm, oviduct enlarged to 2mm, oviduct appears to be straight & thin (thoracic appears to be on old ruptured follicle - ?) BP completely feathered, light general molt of contour feathers	B.P. completely feathered very light molt on crown only	LNH	SKIN
02	"	"	"	33gms.	♂	M	LT 4.5x3mm RT 3.5x2mm Brood Patch Vasculated	No Molt Brood Patch completely feathered	LNH	SKIN
03	"	"	"	29.5gms	♂	H	LT 4x3mm RT 3.5x2mm oviduct slightly enlarged	No Molt	LNH	SKIN
04	"	"	"	28.4gms	♀	L	ovary 3x3mm No old ruptured largest ovum 2.2mm follicles	No Molt	LNH	SKIN
05	"	"	"	32.8gms	Ad ♂	H	Brood Patch bare & vasculated oviduct enlarged but reducing recent ruptured follicle, ovary 6x4mm	Largest ovum 2.1mm 3 old ruptured follicles present No Molt	LNH	SKIN
06	"	"	"	29.7gms	Ad ♀	M	Brood Patch feathered ovary 5x3mm largest ova 2.5mm oviduct Not enlarged - but has been used	No Body Molt	TJL	SKIN
07	"	"	"	26.0gms	Ad ♀	L-M	Brood Patch Bare & vasculated ovary 6x5mm ova 2.0mm one follicle present	No Body Molt	TJL	SKIN
08	"	"	"	31gms	Ad ♂	M	oviduct enlarged Brood Patch feathering	No Body Molt	TJL	SKIN
09	"	"	"	31gms.	♂	M	Testes 4x3mm LT 4x2.5mm RT 2x2mm	BP completely feathered no molt	LNH	SKIN
10	"	"	"	29gms.	♀	L-M	Ovary 6x3mm (thin + transparent) oviduct mostly straight but starting to enlarge & spiral slightly	Brood P. completely feathered light molt on head & neck only	LNH	SKIN



		Leucorhoa		NORTH	SEX	WT	TA	Reproduction	Remarks	Prep	Disposition
140610	Ocean Island	<del>Leucorhoa</del>	28 June, 1968	flw. ship at anchorage	♀ Ad	30	M	ovary 6x5mm, L-ovum 2.2mm. No recent ruptured follicles oviduct slightly enlarged. Brood Patch 1/4 de feathered	(4) old ruptured follicles no molt. 3/10 De feathered + slightly vascularized BP.	LNH	Skin
140612	"	"	"	"	Ad ♂	29.8gms	M	Testes 3x2mm beginning to enlarge Brood Patch feathered ovary 4x6mm, largest ova 2mm oviduct thin & flat but has been used in past	No Body Molt	TJL	Skin
13	"	"	"	"	Ad ♀	31.4gms	M-H	ovary 3.5x2mm, ova minute several ova starting to enlarge slightly oviduct straight & thin. oviduct very slightly enlarged ovary 5x4mm L-ovum 1.5mm 1 old ruptured follicle	light molt on Breast	TJL	Skin
14	"	"	"	"	♀	30	M	ovary 3.5x2mm, ova minute several ova starting to enlarge slightly oviduct straight & thin. oviduct very slightly enlarged ovary 5x4mm L-ovum 1.5mm 1 old ruptured follicle	no molt B.P. completely feathered	LNH	Skin
15	"	"	"	"	♀	34.0gms	H	ovary 8x5mm, L-ovum 3mm. oviduct slightly enlarged.	Brood Patch 3/4 de feathered No Molt	LNH	Skin
16	"	"	"	"	♀ Ad	29	L	ovary 8x5mm, L-ovum 3mm. oviduct slightly enlarged.	B.P. Bare but not in use, no molt many old ruptured follicles	LNH	Skin
17	"	"	"	"	♂	24gms	L	testes 3x2mm	B.P. Bare + slightly vascularized no molt	LNH	Skin
18	"	"	"	"	Ad ♂	31gms	L	oviduct slightly enlarged 6 old ruptured follicles ovary 7x5mm, L-ovum 2.1mm. Brood Patch feathered	B.P. Bare + slightly vascularized Moderate Molt on Head & Neck light molt on Breast	LNH	Skin
19	"	"	"	"	♂	31gms	M	Testes 3x1mm LT 2x1.2mm	mod general molt of contour feathers B.P. completely feathered	TJL	Skin
20	"	"	"	"	♂	32	M	RT 1.2x.9mm LT 6x5mm	B.P. starting to vascularize no molt.	LNH	Skin
21	"	"	"	"	Ad ♂	35.5	M.	RT 4.5x3mm	RP COMPLETELY FEATHERED - LIGHT MOLT OF CONTOUR FEATHERS - NO MOLT ELSEWHERE	LNH	Skin
22	"	"	"	"	Ad ♀	28.2	MOD-HEAVY	OVARY 5x4mm, LARGEST OVA 1.8mm; OVIDUCT SLIGHTLY ENLARGED - USED BEFORE; 37? OLD RUPTURED FOLLICLES	light Body Molt	LNH	Skin
23	"	"	"	"	♂	31.7gms	M	Brood Patch feathered L Testis 2x1mm		TJL	Skin
24	"	"	"	"	Ad ♀	37gms	H	ovary 7x7mm L-ovum 1.9mm 3(4) old ruptured follicles oviduct slightly enlarged	B.P. Bare + slightly vascularized no molt	LNH	Skin
25	"	"	"	"	Ad ♀	29.3gms	L	ovary 5x5mm granular L-ovum 1.2mm, oviduct spindled + slightly enlarged	Brood Patch completely feathered no molt	LNH	Skin
26	"	"	"	"	♀	33.5gms	M	Brood Patch Feathered ovary 3x2mm smooth	light General Contour Feather Molt	TJL	Skin
27	"	"	"	"	♂	30.5	L	LT 2.5x1.5mm RT 1.2x1.2mm	Brood Patch completely feathered no molt	LNH	Skin
28	"	"	"	"	♂	29.5gms	M	LT 2x1mm RT 1x1mm.	B.P. completely feathered light general molt of contour feathers	LNH	Skin
29	"	"	"	"	Ad ♀	37gms	M	Brood Patch Bare ovary 8x6mm ova to 3mm oviduct enlarged L. TESTIS 3x1mm	No Body Molt B.P. FEATHERED - NO BODY MOLT	TJL	Skin
30	"	"	"	"	♂	28.0gms	HIGH-NOV.			TJL	Skin
31	"	"	"	"	Ad ♀	32.4gms	M	Brood Patch Bare Not vascularized ovary 7x6mm ova to 2.5mm oviduct slightly enlarged	No Body Molt	TJL	Skin
32	"	"	"	"	Ad ♀	32.6gms	M	Brood Patch Bare & Vascularized ovary 7x5mm ova to 2mm oviduct reducing	No Body Molt	TJL	Skin
33	"	"	"	"	♀	33.0gms	M-H	Brood Patch de feathering ovary 7x4mm smooth oviduct slightly enlarged - 2 nuclei	ovary has never been used in past 1/2 De feathered B.P.	TJL	Skin
34	"	"	"	"	♂	30gms	M	LT 4x2.5mm RT 2.5x2mm	no molt	LNH	Skin
35	"	"	"	"	Ad ♀	32gms	M	ovary 6x3mm, L-ovum 1.2mm. oviduct slightly enlarged 3(4) old ruptured follicles OVARY 6x5mm, LARGEST OVA 2mm OVIDUCT + OVARY REDUCING - ONE FOLLICLE PRESENT - (PROBABLY FEEDING A CHICK) OVARY 10x7mm - LARGEST OVA 1.5mm - OVIDUCT ENLARGED - HAS NOT LAID AN EGG YET THIS YR.	B.P. 1/2 De feathered no molt B.P. BARE - NO BODY MOLT	LNH	Skin
36	"	"	"	"	Ad ♀	27.6gms	Med.		B.P. BARE + VASCULATED	TJL	Skin
37	"	"	"	"	Ad ♀	34.2gms	H.	Brood Patch De feathering ovary 7x5mm ova to 2.5mm oviduct enlarged	No Body Molt	TJL	Skin
38	"	"	"	"	Ad ♀	35gms	M	ovary 8x6mm, oviduct greatly enlarged very recent ruptured follicle 2 old ruptured follicles	Brood Patch Bare + slightly vascularized no molt	LNH	Skin
39	"	"	"	"	Ad ♀	32gms	L				



NO.	Species	Date	Locality	Sex	Weight	Measurements	Remarks	Feather Molt	Body Molt	Notes
140640	Oceanodroma leucorhoa	28 June 1968	Guadalupe Island, Mexico	♀	32.5 gms	L	Brood Patch Feathered Ovary 3x2mm 2 ova just beginning to develop from a smooth ovary, oviduct has not been used	Light General contour feather molt	TJL	SKIN
41	"	"	"	♂	29.5 gms	M	Brood Patch Defeathering LT 3x2.5mm RT 3x2mm beginning to enlarge	No Body Molt	TJL	SKIN
42	"	"	"	♂	27.5 gms	L-M	Brood Patch Defeathering Testes 3x2mm	AP 1/4 REFEATHERED - NO MOLT	TJL	SKIN
43	"	28 June 1968	MEXICO, GUADALUPE ISLAND, FLEW ABOVE SHIP AT NE ANCHORAGE	AD ♀	32.1 gms	Mod.	OVARY 6x0.5mm - OVIDUCT USED IN PAST, SLIGHTLY ENLARGED 5-7 OLD RUPTURED FOLLICLES NON BREEDING OVARY THERE	3/4 COMPLETELY FEATHERED NO MOLT	LNH	SKIN
44	"	"	SAME AS # 140643	♀	28.9 gms	Mod.			LNH	SKIN
45	Junco insularis	29 June 1968	Guadalupe Island, Mexico	♀ AL	18.4	L	OVARY 5x3.5mm granular oviduct used in past testes .8x.8mm.	med molt of contour feathers iris dark brown; feet + legs grayish bill + tarsus brown; bill bluish gray (copper darkish) no molt of contour feathers, shall not molt iris dark brown; feet + legs flesh, bill dull blackish. coll in press approx 3000	LNH	SKIN
46	"	"	"	imm ♂	18.8	M		light molt of contour feathers. gullet contents mostly insects with a few small insects. iris dark brown; bill + feet + legs black. med molt of contour feathers, mature in gullet iris dark brown; bill + feet + legs black, common eurythous.	LNH	SKIN
47	Calyptra ANNA	"	"	♀	4 gms	L	OVARY 2.5x1.5mm OVA minute	heavy molt of contour feathers shall not molt	LNH	SKIN
48	"	"	"	♀	3.8	L	ovary 3.5x1.5mm granular.	heavy molt of contour feathers shall not molt	LNH	SKIN
49	Carpodacus MEXICANUS AMPLUS	"	"	imm ♀	24.8	L	ovary 4x2mm oviduct never used	heavy molt of contour feathers shall not molt	LNH	SKIN
50	"	"	"	imm ♀	25	L	ovary minute oviduct never used	heavy molt of contour feathers shall not molt	LNH	SKIN
51	"	"	"	♂	26 gms	L	testes 1x1mm.	heavy molt of contour feathers shall not molt	LNH	SKIN
52	Oceanodroma leucorhoa	30 JUNE 1968	Center Island, Coronados Islands	♀ AL	37 gms	M	ovary 9x8mm, LO OVA 3mm oviduct enlarging	Brood Patch Bare but not used color as 140652	LNH	SKIN
53	"	"	"	♀ AL	34 gms	M	ovary 7x7mm LO OVA 1.8mm oviduct enlarging	Brood Patch Bare but not used color as 140652	LNH	SKIN
54	"	"	"	♀ AL	33.8 gms	L	ovary 8x7mm, LO OVA 1.2 gms oviduct small + spindled	Brood Patch Bare but not used color as 140652	LNH	SKIN
55	melania	"	"	Ad ♀	58 gms	H	Brood Patch Bare & Vascularized ovary enlarged & convoluted one follicle present	Brood Patch Bare but not used color as 140652	TJL	SKIN
56	"	"	"	Ad ♂	60 gms	M-H	Brood Patch Bare & Vascularized Testes 9x7mm	Brood Patch Bare but not used color as 140652	TJL	SKIN
57	"	"	"	Ad ♂	61 g.	H	LT 7x6mm RT 5x4mm Brood Patch Bare but not used	Brood Patch Bare but not used color as 140652	LNH	SKIN
58	"	"	North Island Coronados Islands	Ad ♀	61 g.	M	Brood Patch Bare & Vascularized ovary 8x6mm, LO OVA 1.2mm one follicle present, oviduct enlarged & convoluted	Brood Patch Bare but not used color as 140652	TJL	SKIN
59	"	"	"	Ad ♂	61 g.	M	Brood Patch Bare & Vascularized Testes 8x6mm	Brood Patch Bare but not used color as 140652	TJL	SKIN
60	"	"	"	Ad ♂	50 g.	M-H	Testes 4x3mm B.P. slightly vascularized	Brood Patch Bare but not used color as 140652	LNH	SKIN
61	"	"	"	Ad ♂	55 g.	M	LT 7x6mm RT 6x5mm Brood Patch Bare but not used	Brood Patch Bare but not used color as 140652	LNH	SKIN
62	"	"	"	Ad ♂	59 g	H	Testes 7x2 6x5mm Brood Patch Bare but not used	Brood Patch Bare but not used color as 140652	LNH	SKIN
63	"	"	"	N ♂	18 g.	M	Testes 1.5x.8mm (small)	Brood Patch Bare but not used color as 140652	LNH	SKIN
64	Larus occidentalis	"	"	N ♂	796 g.	M	Testes 6x1.5mm crown	Fris DK Brown, Bill Black, feet + legs brown color as 140664	LNH	SKIN
65	"	"	"	N ♂	843 g.	H	Testis 4x1.5mm	color as 140664	TJL	SKIN
66	"	"	"	N ♀	748 g.	H	ovary 12x4mm	color as 140664	TJL	SKIN

110070	<i>Arctophagus townsendi</i>	Ad ♂	part of cranium, femur,	humerus, 2 scapulas, part of pelvis.	June 1968	Folvel Bendisham
110071	" "	"	Mandibles only.		"	"















